Payment Station

Patron convenience & accept all forms of payment

Payment Station

Patron convenience & accept all forms of payment

Payment Station Features & Benefits

Increase collections and reduce wait times at the staff desk. Modular system gives libraries the flexibility of adding or removing payment solutions to their SelfCheck. mk's payment options allow the modernization without the look of bulky equipment. Patrons are guided through the process via on-screen instructions and prompts. A printed or emailed receipt is available.

Cash Stations

Cash and coin payment units offer convenience and options at the SelfCheck when paying fines and fees and are placed alongside the SelfCheck or set up as a central, standalone station elsewhere in the library. The units accept both coins ($1 coins, quarters, nickels, and dimes) and bills ($1, $5, $10, and $20) - an optional bill recycler provides bills as change.

Cashless and Contactless Payments

Cashless payment devices limit cash handling by circulation staff and allow patrons to pay fines and fees securely at the SelfCheck when needed. Cashless payments offer the benefit of a quick transaction. The payment device is easily accessible to patrons, installed alongside the SelfCheck touchscreen within ADA/CDA reach guidelines. Patrons are able to make payments using credit/debit cards or NFC technology (Visa, MC, Apple Pay, etc.). The solution is PCI and EMV (Chip/PIN) compliant.

Both solutions communicate to your ILS via SIP2, NCIP, or APIs, and all transactions are recorded in LibManager for statistical purposes.

Integrated card payment at SC4 tabletop SelfCheck	Cashless / contactless (NFC) payment options	Integrated card payment and cash/coin box at SC4 kiosk

Payment Station

Patron convenience & accept all forms of payment

Payment Station Technical Data

• Cash & coin device: 12" W x 9.5" D x 36" H

• Each Cash Payment Station: 1 x 120V, 60Hz + 1 x USB at mk SelfCheck

• Two cashless models: 4" L x 3" W x 2" H or 9" L x 5" W x 2.5" H

• Each Card Payment Device: 1 x 120V, 60Hz + 1 x data for VLAN (or cellular up on request)